

P272

Approved Modification P272 makes Half Hourly (HH) Settlement mandatory for Profile Classes (PCs) 5-8 Metering Systems with Advanced Meters and comes into effect on 1 April 2016. This means that from 1 April 2016, all sites in PCs5-8 with an Advanced Meter will need to settle on a HH basis and the Suppliers and agents appointed to the Metering Systems will need to be HH Qualified.

In order to enable ELEXON and the Performance Assurance Board (PAB) to review the change of Measurement Class plans and liaise and advise if necessary, we ask that you fill out this questionnaire. The answers will be reported back to the PAB. Please indicate the number of Metering Systems you are responsible for that will be impacted by the change and when you intend to transfer them to HH Settlement.

At its October meeting, the PAB agreed the timeline for the submission of transition plans for Suppliers and their agents. According to this timelines, the plans should be submitted by **Friday, 27 February 2015**.

PLEASE NOTE, we are aware that not everyone will have a detailed plan in place by 27 February 2015 and that these will evolve over time, so please give indicative figures. If your plans change, please update your Operational Support Manager (OSM) by the 1st Working Day of each month up until 1 April 2016, so that we can inform the PAB.

Party	Name
Email	Phone number
Associated Market Participant IDs	

1. Have you got a project plan? If not, when do you intend to prepare this plan?

2. When creating the plan, have you consulted with your agents (including Supplier Meter Registration Agents (SMRAs) also known as MPAS)? If so, have they confirmed the plans?

P272

3. Do you feel you have got enough resource to be able to carry out the activity related to P272 within the required timescales? If not, when do you feel the right resources will be allocated

4. If you have already made planned for the migration, please fill out the table below to indicate the numbers of Metering Systems being moved each month and the agents you expect to be most impactedⁱ

Month	Number of Metering Systems transferring from NHH to HH ⁱⁱ		Agents most likely to be impacted (including SMRAs). Please also note here anything else you believe we should be aware of (eg if there will be a large number of site visits that month etc)
	MSIDs expected to begin transition	MSIDs expected to complete transition	
May 2015			
Jun 2015			
Jul 2015			
Aug 2015			
Sep 2015			
Oct 2015			
Nov 2015			
Dec 2015			
Jan 2016			
Feb 2016			
Mar 2016			
Overall			

5. What are the controls and risks, stemming from P272, that have been identified by your businessⁱⁱⁱ?

P272

ⁱ PLEASE NOTE it is assumed that you and your intended Agents are Half Hourly qualified.

ⁱⁱ When answering this question, please consider the time required for Meter exchanges and Change of Agent activities that might be needed to transition

ⁱⁱⁱ While other questions are needed for analysis of P272 impacts, the answers to this question will be collated, anonymised and shared with industry as good practice education