

## P272

---

Approved Modification P272 makes Half Hourly (HH) Settlement mandatory for Profile Classes (PCs) 5-8 Metering Systems with Advanced Meters and comes into effect on 1 April 2016. This means that from 1 April 2016, all sites in PCs5-8 with an Advanced Meter will need to settle on a HH basis and the Suppliers and agents appointed to the Metering Systems will need to be HH Qualified.

In order to enable ELEXON and the Performance Assurance Board (PAB) to review the change of Measurement Class plans and liaise and advise if necessary, we ask that you fill out this questionnaire. The answers will be reported back to the PAB. Please indicate the number of Metering Systems you are responsible for that will be impacted by the change and when you intend to transfer them to HH Settlement.

At its October meeting, the PAB agreed the timeline for the submission of transition plans for Suppliers and their agents. According to this timelines, the plans should be submitted by **Friday, 27 February 2015**.

PLEASE NOTE, we are aware that not everyone will have a detailed plan in place by 27 February 2015 and that these will evolve over time, so please give indicative figures. If your plans change, please update your Operational Support Manager (OSM) by the 1<sup>st</sup> Working Day of each month up until 1 April 2016, so that we can inform the PAB.

<b>Party</b>	<b>Name</b>
<b>Email</b>	<b>Phone number</b>
<b>Associated Market Participant IDs</b>	

1. Have you got a project plan? If not, when do you intend to prepare this plan?
-

## P272

---

2. Do you feel you have got enough resource to be able to carry out the activity related to P272 within the required timescales? If not, when do you feel the right resources will be allocated?

---

3. What is your planned response time to customers and Suppliers with queries about setting up new Half Hourly arrangements to facilitate P272?

---

4. How many Change of Measurement Class events can you undertake in one Working Day?

---