

# P350 IMPLEMENTATION CIRCULAR #5

---

**Date** 20 November 2017  
**To** P350 Implementation Circular\* and ELEXON Circular distribution lists  
**From** ELEXON Design and Delivery  
**Purpose** For action

---

\*Based on CVA and SVA Release Circular distribution lists

## Review of amended TLFA Service Description for P350

### What is the purpose of this Circular?

This circular invites you to review version 1.2 of the Transmission Loss Factor Agent (TLFA) Service Description for Approved Modification P350 and return any comments to ELEXON ([P350Implementation@elexon.co.uk](mailto:P350Implementation@elexon.co.uk)), using the review form provided as Attachment 1 to this circular, by **17:00 on Wednesday, 29 November 2017**.

### Why has version 1.0 of the TLFA Service Description been revised?

The draft TLFA Service Description was originally developed for use as part of the documentation used in the procurement of the TLFA for P350. Version 1.0 of the TLFA Service Description was approved by the Panel on 11 May 2017 to become effective on 12 May 2017 for inclusion in the contractual baseline for the new TLFA ([Panel266/10](#)).

Following production of the Seasonal Zonal Transmission Loss Factors (TLFs) as part of the implementation of P350, ELEXON and the TLFA have agreed some amendments to the file formats included in the TLFA Service Description to align it with the actual output files produced by the TLFA. In addition, ELEXON has added a short section on issue resolution and has corrected some minor errors in the document.

### What will happen after the consultation?

ELEXON will address any comments on the TLFA Service Description which are received by 30 November 2017. Having taken into account any comments received, and will present the TLFA Service Description to the Imbalance Settlement Group (ISG) for approval on 11 December 2017.

If approved, version 2.0 of the TLFA Service Description will become effective on 22 December 2017, to align with the publication of the TLF data for P350 on the BSC Website.

### How do I respond?

You are invited to respond to this consultation using the review form provided with the consultation. Please submit your responses to [P350Implementation@elexon.co.uk](mailto:P350Implementation@elexon.co.uk) by **17.00 on Wednesday, 29 November 2017**.

For more information, please contact the **BSC Service Desk** on 0870 010 6950 or email [P350Implementation@elexon.co.uk](mailto:P350Implementation@elexon.co.uk).